



SCOPE OF ACCREDITATION TO ISO/IEC 17025:2017

Q-LAB ARIZONA
24742 W. Durango Street
Buckeye, AZ 85326
Melinda Hooper Phone: 305 245 5600

MECHANICAL

Valid To: November 30, 2024

Certificate Number: 0859.02

In recognition of the successful completion of the A2LA evaluation process, accreditation is granted to this laboratory to perform the following weathering and corrosion tests:

Testing to determine material durability using outdoor and laboratory accelerated methods, direct exposure, black box, and under glass exposures with backed and un-backed mounting, visual and instrumental evaluations to measure degradation effects, including gloss and color, mechanical measurements of physical properties before and after exposure.

On the following materials:

Automotive Components, Plastics, Paints, Textiles, Roofing, Sealants, Glass, Photovoltaic and Solar Heating Materials

Using the following test methods:

Test

Outdoor Weathering

Specification for Laminates Intended for Use on AAMA Certified Profile

Voluntary Specification for Cellular Polyvinyl Chloride (PVC) Exterior Profiles

Specification for Rigid Poly (Vinyl Chloride) (PVC) Exterior Profiles

Test Procedures for Organic Coatings on Plastic Profiles

Exterior Exposure of Paints on Wood

Exterior Exposure of Paints on Steel

Outdoor Weathering of Plastics

Specification for Rigid Poly (Vinyl Chloride) (PVC) Siding

Conducting Accelerated Outdoor Exposure Tests of Coatings

Lightfastness of Colorants used in Artists' Materials

Test Method(s)

AAMA 307
Weathering, Arizona

AAMA 308
Weathering, Arizona

AAMA 303
Weathering, Arizona

AAMA 613
Weathering, Arizona

ASTM D1006

ASTM D1014

ASTM D1435

ASTM D3679, Sections 5.10,
6.10, 6.11, 6.13

ASTM D4141

ASTM D4303

(A2LA Cert. No. 0859.02) Revised 09/27/2024

Page 1 of 4

Test**Test Method(s)****Outdoor Weathering (continued)**

Specification for Rigid Poly (Vinyl Chloride) (PVC) Exterior Profile Extrusions used for Assembled Windows and Doors	ASTM D4726
Color and Appearance Retention of Solid Colored Plastic Siding Products	ASTM D6864
Color and Appearance Retention of Variegated Colored Plastic Siding Products	ASTM D7251
Standard Specification for Insulated Vinyl Siding	ASTM D7793
Color and Appearance Retention of Solid and Variegated Colored Plastic Siding Products using CIELab	ASTM D7856
Atmospheric environmental Exposure Testing of Nonmetallic Materials	ASTM G7/G7M
Conducting Exposure to Daylight Filtered Through Glass Coating Materials and Coatings Systems for Exterior Wood	ASTM G24 DIN EN 927, Part 3
Florida and Arizona Outdoor Exposure Test	FLTM BI160-01
Exterior Weatherability of Integrally Colored Plastics	GM 9327P (Withdrawn 2011) ¹
Outdoor Weathering of Automotive Exterior Materials	GMW14873; GM 9163P (Withdrawn 2006) ¹
Plastics – Methods of Exposure to Solar Radiation	
Part 1 – General Guidance	ISO 877-1
Part 2 – Direct Weathering and Exposure Behind Window Glass	ISO 877-2
Part 3 – Intensified Weathering Using Concentrated Solar Radiation	ISO 877-3
Paints and Varnishes: Natural Weathering	ISO 2810
Outdoor Exposure of Trim Materials	LP-463KB-19-01
Plastic Materials for Optical Parts Using Concentrated Natural Sunlight	SAE J576
Outdoor Weathering of Exterior Materials	SAE J1976
<u>Accelerated Testing</u>	
Specification for Fiber Reinforced Thermoset Profiles	AAME 305 Accelerated Weathering, Arizona
Performance Requirements and Test Procedure for Organic Coatings of Fiber Reinforce Thermoset Profiles	AAMA 623 Accelerated Weathering, Arizona
Performance Requirements and Test Procedures for High Performance Organic Coatings on Fiber Reinforced Thermoset Profiles	AAMA 624 Accelerated Weathering, Arizona
Performance Requirements and Test Procedures for Superior Performance Organic Coatings on Fiber Reinforced Thermoset Profiles	AAMA 625 Accelerated Weathering, Arizona
Performing Accelerated Outdoor Weathering of Plastics Using Concentrated Natural Sunlight	ASTM D4364
Performing Accelerated Outdoor Weathering of Pressure-Sensitive Tapes Using Concentrated Natural Sunlight	ASTM D5105
Performing Accelerated Weathering of Factory Coated Embossed Hardboard Using Concentrated Natural Sunlight and a Soak-Freeze-Thaw Procedure	ASTM D5722
Performing Accelerated Outdoor Weathering of Nonmetallic Material	ASTM G90

Test**Test Method(s)****Accelerated Testing (continued)**

Conducting Exposures in Outdoor Glass-Covered Exposure Apparatus with Air-Circulator	ASTM G201
Outdoor Weathering Test: Ford Tracking Box	FORD DVM-0020
Weathering Exposure Tests for Interior Trim	GM 9538P (Superseded by GMW3417) ¹
Natural Weathering Exposure Tests for Interior Trims/Materials	GMW3417
Accelerated Exposure of Automotive Exterior Materials Using a Solar Fresnel Reflector Apparatus	SAE J1961

Evaluation Methods

Test Procedures for Organic Coatings on Plastic Profiles	AAMA 613 Color, Gloss
Test Procedures for Organic Coatings on Fiber Reinforced Thermostat Profiles	AAMA 623 Color, Gloss
High Performance Organic Coatings on Fiber Reinforced Thermoset Profiles	AAMA 624 Color, Gloss
Test Procedures for Superior Performance Organic Coatings on Fiber Reinforced Thermoset Profiles	AAMA 625 Color, Gloss
Test Method for Specular Gloss	ASTM D523
Evaluating Degree of Rusting on Painted Steel Surfaces	ASTM D610
Evaluating Degree of Checking of Exterior Paints	ASTM D660
Evaluating Degree of Cracking of Exterior Paints	ASTM D661
Evaluating Degree of Erosion of Exterior Paints	ASTM D662
Evaluating Degree of Blistering of Paints	ASTM D714
Evaluating Degree of Flaking (Scaling) of Exterior Paints	ASTM D772
Haze and Luminous Transmittance of Transparent Plastic (Method B)	ASTM D1003
Visual Evaluation of Color Difference of Opaque Materials	ASTM D1729
Test Method for Yellowness Index of Plastics	ASTM D1925-70 (88) (Withdrawn 1995) ¹
Calculation of Color Differences from Instrumentally Measured Color Coordinates	ASTM D2244
Evaluation of Visual Color Difference with a Grey Scale	ASTM D2616
Evaluating Degree of Surface Disfigurement of Paint Films by Microbial Growth or Dirt Accumulation	ASTM D3274
Evaluating the Degree of Chalking of Exterior Paint Films	ASTM D4214
Yellowness and Whiteness Indices from Instrumentally Measured Color Coordinates	ASTM E313
Obtaining Spectrometric Data for Object Color Evaluation	ASTM E1164
Reflectance Factor and Color by Spectrophotometry	ASTM E1331
Transmittance and Color by Spectrophotometry Using Hemispherical Geometry	ASTM E1348
Grey Scale for Assessing Change in Colour	ISO 105-A02
Determination of Specular Gloss on Non-Metallic Paint Films at 20°, 60° & 85°	ISO 2813
Paints and Varnishes – Visual Comparison of Colour of Paints	ISO 3668
Evaluation of Color and Pigments	ISO 4582

Test**Test Method(s)****Evaluation Methods (continued)**

Paints and Varnishes Evaluation of Degradation of Coatings

Part 1 – General Introduction and Designation System

ISO 4628-1

Part 2 – Assessment of Degree of Blistering

ISO 4628-2

Part 3 – Assessment of Degree of Rusting

ISO 4628-3

Part 4 – Assessment of Degree of Cracking

ISO 4628-4

Part 5 – Assessment of Degree of Flaking

ISO 4628-5

Part 6 – Assessment of Degree of Chalking by Tape Method

ISO 4628-6

Part 7 – Assessment of Degree of Chalking by Velvet Method

ISO 4628-7

Instrumental Color Difference Measurement for Exterior Finishes,
Textiles and Trim

SAE J1545

Instrumental Color Difference Measurements for Colorfastness of
Automotive Interior Trim Materials

SAE J1767

Mechanical Methods

Test Procedures for Organic Coatings on Plastic Profiles

AAMA 613
AdhesionTest Procedures for Organic Coatings on Fiber Reinforced
Thermoset ProfilesAAMA 623
AdhesionHigh Performance Organic Coatings on Fiber Reinforced Thermoset
ProfilesAAMA 624
AdhesionTest Procedures for Superior Performance Organic Coatings on Fiber
Reinforced Thermoset ProfilesAAMA 625
AdhesionNondestructive Measurement of Dry Film Thickness of
Nonmagnetic Coatings Applied to a Ferrous BaseASTM D1186-93
(Withdrawn 2006)¹Nondestructive Measurement of Dry Film Thickness of
Nonconductive Coatings Applied to a Non-Ferrous BaseASTM D1400-00
(Withdrawn 2006)¹

Measuring Adhesion by Tape Test

ASTM D3359

Nondestructive Measurement of Dry Film Thickness of
Nonmagnetic Coatings Applied to Ferrous Metals and Nonmagnetic,
Nonconductive Coatings Applied to Non-Ferrous Metals

ASTM D7091

Conditioning and Handling of Nonmetallic Materials for Natural and
Artificial Weathering Tests

ASTM G147

Tape Adhesion Test For Paint Finishes

GM 9071P
(Withdrawn 2012)¹

¹This laboratory's scope contains withdrawn or superseded methods. As a clarifier, this indicates that the applicable method itself has been withdrawn or is now considered "historical" and not that the laboratory's accreditation for the method has been withdrawn.



Accredited Laboratory

A2LA has accredited

Q-LAB ARIZONA

Buckeye, AZ

for technical competence in the field of

Mechanical Testing

This laboratory is accredited in accordance with the recognized International Standard ISO/IEC 17025:2017 *General requirements for the competence of testing and calibration laboratories*. This accreditation demonstrates technical competence for a defined scope and the operation of a laboratory quality management system (refer to joint ISO-ILAC-IAF Communiqué dated April 2017).



Presented this 2nd day of September 2022.

A blue ink signature of Trace McInturff, written over a horizontal line.

Mr. Trace McInturff, Vice President, Accreditation Services
For the Accreditation Council
Certificate Number 0859.02
Valid to November 30, 2024
Revised September 27, 2024

For the tests to which this accreditation applies, please refer to the laboratory's Mechanical Scope of Accreditation.